

Exercise Sheet 6

Discussion starts from Monday, June 15, 2020

6.1 OpenCL - Theory

Consider the following code fragments (C version / C++ version):

1	<pre>memoryObjects[0] = clCreateBuffer(context,CL_MEM_READ_ONLY CL_MEM_ALLOC_HOST_PTR, buffSize, NULL, &err); cl::Buffer buffer_0(CL_MEM_READ_ONLY CL_MEM_ALLOC_HOST_PTR, buffSize);</pre>
2	<pre>cl_int* inputA = (cl_int*)clEnqueueMapBuffer(commandQueue, memoryObjects[0],CL_TRUE, CL_MAP_WRITE, 0, buffSize, 0, NULL, NULL, &errorNumber); cl_int* inputA = (cl_int*)cl::commandQueue::enqueueMapBuffer(buffer_0,CL_TRUE, CL_MAP_WRITE, 0, buffSize);</pre>
3	<pre>int i = get_global_id(0); int i = get_global_id(0);</pre>

Please explain the effect of each code fragment.

6.2 OpenCL - Extension

Please modify the 'Hello_World_OpenCL' program, which you already know from last week's exercise, according to the following assignments:

- (a) Extend the 'Hello_World_OpenCL' program, so that three input values and two output values are generated instead of two input values and one output value (subsequently termed W1, W2, W3, O1 and O2).
- (b) Modify the program, so that cl_float is used instead of cl_int.
- (c) Modify the program, so that two distinct kernels are executed successively:
 - (i) The first kernel should compute $(W1+W2+W3)*(W1-W2-W3)$ and store the result in O1.
 - (ii) The second kernel should multiply the decimal places of a number with its integer value for each of the three inputs and store the sum of these results in O2. For 337,4284, this is $337*0,4284=144,3708$.

6.3 OpenCL - Additional Assignment

Please modify the 'Hello_World_OpenCL' program, which you already know from last week's exercise, according to the following assignments:

- (a) Create an `cl_int` array.
- (b) Fill the array with random values between 0 and 255.
- (c) Create a kernel, which re-calculates the value for each field. In the course of this, the value should be modified, so that it is 50% closer to the mean value of the adjacent fields. Regarding the example given below, adjacent fields of field 1 are fields 2, 4, and 5. With respect to these fields, a new mean value must be calculated. Thereon, the difference between original and mean value is required, which must be divided by 2 (50%) and added to the original value, to obtain the new value.

Example:

1	2	3
4	5	6
7	8	9

The new values are computed as follows:

$$\begin{aligned}
 \text{Feld 1:} & \quad 1 + (((2+4+5)/3-1)/2) & =2 \\
 \text{Feld 2:} & \quad 2 + (((1+3+4+5+6)/5-2)/2) & =2 \\
 \text{Feld 3:} & \quad 3 + (((2+5+6)/3-3)/2) & =3 \\
 \text{Feld 4:} & \quad 4 + (((1+2+5+7+8)/5-4)/2) & =4 \\
 \text{Feld 5:} & \quad 5 + (((1+2+3+4+6+7+8+9)/8-5)/2) & =5 \\
 \text{Feld 6:} & \quad 6 + (((2+3+5+8+9)/5-6)/2) & =6 \\
 \text{Feld 7:} & \quad 7 + (((4+5+8)/3-7)/2) & =6 \\
 \text{Feld 8:} & \quad 8 + (((4+5+6+7+9)/5-8)/2) & =7 \\
 \text{Feld 9:} & \quad 9 + (((5+6+8)/3-9)/2) & =8
 \end{aligned}$$

General Information: Further information can be found under <https://ls12-www.cs.tu-dortmund.de/daes/de/lehre/lehrveranstaltungen/summersemester-2020/rechnerarchitektur-deutsch.html>. Submitting solutions to the exercise sheets is not required.